| Ref<br># | Hits | Search Query   | DBs                                    | Default<br>Operator | Plurals | Time Stamp       |
|----------|------|--|--|---------------------|---------|------------------|
| S1       | 2    | ("6684211").PN.  | US-PGPUB;<br>USPAT;<br>JPO;<br>DERWENT | OR                  | OFF     | 2006/01/20 09:43 |
| S2       | 64   | ("5204947"   "5377354"   "5499109"   "5508817"   "5513126"   "5548789"   "5572643"   "5574843"   "5619648"   "5623603"   "5627764"   "5630060"   "5666542"   "5675507"   "5680619"   "5694163"   "5706502"   "5710883"   "5724574"   "5734835"   "5737599"   "5737619"   "5754700"   "5754765"   "5761673"   "5764235"   "5767846"   "5768505"   "5781741"   "5781785"   "5784058"   "57847470"   "5794039"   "5794259"   "5828839"   "5818435"   "5826102"   "5828839"   "5835683"   "5842020"   "5845299"   "5870544"   "5875322"   "5870544"   "5875322"   "5911776"   "5918012"   "5983190"   "5987503"   "5995093"   "6014688"   "6029164"   "6069622"   "6161107"   "6210172").PN. | US-PGPUB;<br>USPAT;<br>USOCR           | OR                  | ON      | 2006/01/17 17:16 |
| S3       | 0    | ("6684211").URPN.  | USPAT                                  | OR                  | ON      | 2006/01/17 17:53 |
| S4       | 2    | ("20040222972").PN.  | US-PGPUB;<br>USPAT;<br>JPO;<br>DERWENT | OR                  | OFF     | 2006/01/17 17:53 |
| S5       | 380  | (345/172).CCLS.  | US-PGPUB;<br>USPAT;<br>JPO;<br>DERWENT | OR                  | OFF     | 2006/01/18 11:33 |
| S6       | 5388 | (707/10).CCLS.   | US-PGPUB;<br>USPAT;<br>JPO;<br>DERWENT | OR                  | OFF     | 2006/01/18 11:27 |
| S7       | 0    | ("2004/0222972").URPN.   | USPAT                                  | OR                  | ON      | 2006/01/18 11:29 |
| S8       | 448  | (Internet or web) and messager or<br>(multimedia adj communicat\$3)and<br>text and image and object  | US-PGPUB;<br>USPAT;<br>JPO;<br>DERWENT | OR                  | ON      | 2006/01/18 11:38 |

| S9  | 164  | propert\$4 and S8   | US-PGPUB;<br>USPAT;<br>JPO;<br>DERWENT | OR | ON  | 2006/01/18 11:38 |
|-----|------|---|--|----|-----|------------------|
| S10 | 169  | sender and S8   | US-PGPUB;<br>USPAT;<br>JPO;<br>DERWENT | OR | ON  | 2006/01/18 12:19 |
| S11 | 0    | ("2005/0259652").URPN.  | USPAT                                  | OR | ON  | 2006/01/18 11:43 |
| S12 | 0    | "IM" and (instant adj messag\$6)<br>and chat&4 and S8                             | US-PGPUB;<br>USPAT;<br>JPO;<br>DERWENT | OR | ON  | 2006/01/18 12:22 |
| S13 | 0    | IM and (instant adj messag\$6) and chat&4 and S8                                  | US-PGPUB;<br>USPAT;<br>JPO;<br>DERWENT | OR | ON  | 2006/01/18 12:27 |
| S14 | 0    | IM and (instant adj messag\$6) and chat&4   | US-PGPUB;<br>USPAT;<br>JPO;<br>DERWENT | OR | ON  | 2006/01/18 12:22 |
| S15 | 0    | (instant adj messag\$6) and chat&4  | US-PGPUB;<br>USPAT;<br>JPO;<br>DERWENT | OR | ON  | 2006/01/18 12:27 |
| S17 | 12   | IM and (instant adj messag\$6) and chat\$4 and S8                                 | US-PGPUB;<br>USPAT;<br>JPO;<br>DERWENT | OR | ON  | 2006/01/18 12:27 |
| S18 | 0    | ("2004/0230659").URPN.  | USPAT                                  | OR | ON  | 2006/01/19 14:51 |
| S19 | 2538 | (instant adj messag\$6) and chat\$4   | US-PGPUB;<br>USPAT;<br>JPO;<br>DERWENT | OR | ON  | 2006/01/19 15:10 |
| S20 | 2926 | (709/227).CCLS.   | US-PGPUB;<br>USPAT;<br>JPO;<br>DERWENT | OR | OFF | 2006/01/19 15:10 |
| S21 | 1576 | (709/204).CCLS.   | US-PGPUB;<br>USPAT;<br>JPO;<br>DERWENT | OR | OFF | 2006/01/19 15:10 |
| S22 | 1    | ("6987991").PN.   | US-PGPUB;<br>USPAT;<br>JPO;<br>DERWENT | OR | OFF | 2006/01/20 09:43 |
| S23 | 5    | ("20020077135"   "20020156866"  <br>"20030107555"   "6021313"  <br>"6539240").PN. | US-PGPUB;<br>USPAT;<br>USOCR           | OR | ON  | 2006/01/20 10:05 |
| S24 | 2    | ("2002/0077135").URPN.  | USPAT                                  | OR | ON  | 2006/01/20 11:44 |

| S25 | 2  | ("5956491").PN.   | US-PGPUB;<br>USPAT;<br>JPO;<br>DERWENT | OR   | OFF | 2006/01/20 11:44 |
|-----|----|---|--|------|-----|------------------|
| S26 | 4  | ("4525779"   "5008853"   "5528671"<br>  "5659692").PN.  | US-PGPUB;<br>USPAT;<br>USOCR           | OR   | ON  | 2006/01/20 11:53 |
| S27 | 2  | ("5854893").PN.   | US-PGPUB;<br>USPAT;<br>JPO;<br>DERWENT | OR   | OFF | 2006/01/20 11:55 |
| S28 | 2  | ("5574843").PN.   | US-PGPUB;<br>USPAT;<br>JPO;<br>DERWENT | OR   | OFF | 2006/01/20 11:55 |
| S29 | 36 | ("4315315"   "4449180"   "4455619"   "4536840"   "4546435"   "4569019"   "4644423"   "4656603"   "4681548"   "4689022"   "4723210"   "4734764"   "4736320"   "4739477"   "4779080"   "4813013"   "4821211"   "4821220"   "4827404"   "4860204"   "4872167"   "4885717"   "4893256"   "4899136"   "4905163"   "4931950"   "4953080"   "5010500"   "5072412"   "5084813"   "5204947"   "5208665"   "5208745"   "5214756"   "5220657"   "5317732").PN. | US-PGPUB;<br>USPAT;<br>USOCR           | OR . | ON  | 2006/01/20 11:55 |
| S30 | 26 | ("5574843").URPN.   | USPAT                                  | OR   | ON  | 2006/01/20 11:58 |
| S31 | 11 | ("4785391"   "5345067"   "5574843"<br>  "5748192"   "5754873"  <br>"5771342"   "5790094"   "5880709"<br>  "5898419"   "5977979"  <br>"6034661").PN.   | US-PGPUB;<br>USPAT;<br>USOCR           | OR   | ON  | 2006/01/20 12:28 |
| S32 | 36 | ("4315315"   "4449180"   "4455619"   "4536840"   "4546435"   "4569019"   "4644423"   "4656603"   "4681548"   "4689022"   "4723210"   "4734764"   "4736320"   "4739477"   "4779080"   "4813013"   "4821211"   "4821220"   "4827404"   "4860204"   "4872167"   "4885717"   "4893256"   "4899136"   "4905163"   "4931950"   "4953080"   "5010500"   "5072412"   "5084813"   "5204947"   "5208665"   "5208745"   "5214756"   "5220657"   "5317732").PN. | US-PGPUB;<br>USPAT;<br>USOCR           | OR   | ON  | 2006/01/20 13:36 |

| S33 | 56 | chat\$4 and IM and (instant ADj<br>messag\$4) and theme   | US-PGPUB;<br>USPAT;<br>USOCR | OR | ON | 2006/01/20 13:38 |
|-----|----|---|------------------------------|----|----|------------------|
| S34 | 9  | ("20010036839"   "20020023131"  <br>"20020090069"   "20020091777"  <br>"5428784"   "5835130"   "6226362"<br>  "6282565"   "6501834").PN.  | US-PGPUB;<br>USPAT;<br>USOCR | OR | ON | 2006/01/20 13:39 |
| S35 | 0  | ("6760754").URPN.   | USPAT                        | OR | ON | 2006/01/20 13:41 |
| S36 | 15 | ("20020026483"   "20020034281"   "20020059144"   "20020116275"   "20030007625"   "5826064"   "6026156"   "6229880"   "6252588"   "6349327"   "6397184"   "6427064"   "6510452"   "6519771"   "6574604").PN. | US-PGPUB;<br>USPAT;<br>USOCR | OR | ON | 2006/01/20 13:42 |

| Subscribe (Full Service) Register (Limited Service, Free) Login  Search: © The ACM Digital Library © The Guide  |
|---|
| USPTO instand messager SEARCH   |
| Feedback Report a problem Satisfaction survey   |
| Terms used <u>instand messager</u> Found 9 of 169,866   |
| Sort results by relevance Save results to a Binder Try an Advanced Search Try this search in The ACM Guide  Search Tips  Expanded form Open results in a new window   |
| Results 1 - 9 of 9  Relevance scale □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□  |
| 1 A model for implementing an object-oriented design without language extensions  |
| Jennifer Hamilton January 1996 ACM SIGPLAN Notices, Volume 31 Issue 1   |
| Publisher: ACM Press Full text available:   |
| This paper proposes a means of implementing an object-oriented design in programming  |
| languages that do not directly support the object-oriented paradigm, without requiring language extensions. The model supports information hiding, dynamic binding, polymorphism and single inheritance through a typeless, dynamic approach similar to that of Smalltalk. Effecient dynamic method binding is achieved through direct lookup method tables constructed using an incremental graph-colouring algorithm. The met |
| 2 Localisation et contexte: Context-awareness, privacy and mobile access: a web   |
| semantic and multiagent approach Fabien L. Gandon, Norman M. Sadeh  |
| June 2004 Proceedings of the 1st French-speaking conference on Mobility and ubiquity computing UbiMob '04   |
| Publisher: ACM Press Full text available:   |
| We give an overview of the work achieved in <i>my</i> Campus, an open environment relying on context-awareness to assist mobile accesses to services available on the intranet of a campus, while enforcing privacy preferences of the users.   |
| Keywords: agents, context, mobility, privacy, semantic web  |
| Grammatical analysis: On using semantic data in automatic syntactic analysis  Morris Salkoff August 1973 Proceedings of the 5th conference on Computational linguistics - Volume  |
| Publisher: Association for Computational Linguistics  Full text available: pdf(985.75 KB) Additional Information: full citation   |
| The Apertos reflective operating system: the concept and its implementation   |

| <b>\$</b>     | Yasuhiko Yokote October 1992 ACM SIGPLAN Notices, conference proceedings on Object-oriented programming systems, languages, and applications OOPSLA '92, Volume 27 Issue 10   |  |
|---------------|---|--|
|               | Publisher: ACM Press  Full text available: pdf(2.58 MB)  Additional Information: full citation, references, citings, index terms  |  |
| 5<br>�        | Horizontal partitioning Jan E. Bond February 1988 Proceedings of the 1988 ACM sixteenth annual conference on Computer science   |  |
|               | Publisher: ACM Press  Full text available: pdf(580.05 KB) Additional Information: full citation, references, index terms  |  |
| 6<br><b>③</b> | Ensuring privacy in presence awareness: an automated verification approach Patrice Godefroid, James D. Herbsleb, Lalita Jategaonkar Jagadeesany, Du Li December 2000 Proceedings of the 2000 ACM conference on Computer supported cooperative work Publisher: ACM Press   |  |
|               | Full text available: pdf(151.39 KB)  Additional Information: full citation, abstract, references, citings, index terms  |  |
|               | Providing information about other users and their activites is a central function of many collaborative applications. The data that provide this "presence awareness" are usually automatically generated and highly dynamic. For example, services such as AOL Instant Messenger allow users to observe the status of one another and to initiate and participate in chat sessions. As such services become more powerful, privacy and security issues regarding access to sensitive user data become critical |  |
|               | <b>Keywords</b> : computer-supported cooperative work, coordination, presence awareness, privacy, security, verification  |  |
| 7<br>�        | The Swendsen-Wang process does not always mix rapidly Vivek K. Gore, Mark R. Jerrum May 1997 Proceedings of the twenty-ninth annual ACM symposium on Theory of computing Publisher: ACM Press   |  |
|               | Full text available: pdf(1.13 MB) Additional Information: full citation, references, citings, index terms   |  |
| 8             | Role analysis Viktor Kuncak, Patrick Lam, Martin Rinard January 2002 ACM SIGPLAN Notices, Proceedings of the 29th ACM SIGPLAN-SIGACT  |  |
|               | symposium on Principles of programming languages POPL '02, Volume 37 Issue 1 Publisher: ACM Press   |  |
|               | Full text available: pdf(2.27 MB)  Additional Information: full citation, abstract, references, citings   |  |
|               | We present a new <i>role system</i> in which the type (or <i>role</i> ) of each object depends on its referencing relationships with other objects, with the role changing as these relationships change. Roles capture important object and data structure properties and provide useful information about how the actions of the program interact with these properties. Our role   |  |

system enables the programmer to specify the legal aliasing relationships that define the set of roles that objects may play, the ...

9 Locking effects in multiprocessor implementations of protocols

Mats Björkman, Per Gunningberg

October 1993 ACM SIGCOMM Computer Communication Review, Conference proceedings on Communications architectures, protocols and applications SIGCOMM '93, Volume 23 Issue 4

Publisher: ACM Press

Full text available: pdf(1.06 MB)

Additional Information: full citation, abstract, references, citings, index

terms, review

We investigate how to exploit shared memory multiprocessors for parallel protocol processing. We present a multiprocessor implementation of the x-kernel protocol environment from the University of Arizona. A "processor-per-message" paradigm is used to partition the work over processors. Locks are used to protect shared protocol state and data. Mutual exclusion by locking can be costly if the parallel protocol code frequently accesses shared state and data. This paper addresses the effect of lock ...

Results 1 - 9 of 9

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2006 ACM, Inc. Terms of Usage Privacy Policy Code of Ethics Contact Us

Useful downloads: Adobe Acrobat Q QuickTime Windows Media Player Real Player